

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Recommended use : Drain Cleaner

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1-800-558-5252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour International Emergency Phone: (703)527-3887
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Corrosive to metals	Category 1	May be corrosive to metals.
Skin corrosion	Category 1B	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.

Labelling

Hazard symbols

Corrosion

Signal word

Danger

Hazard statements

May be corrosive to metals.
Causes severe skin burns and eye damage.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Immediately call a POISON CENTER/doctor.

Specific treatment (see supplemental first aid instructions on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant polypropylene container with a resistant inner liner.

Store in corrosive resistant polyethylene container with a resistant inner liner.

Store in corrosive resistant stainless steel container with a resistant inner liner.

Store in corrosive resistant aluminium container with a resistant inner liner.

Dispose of contents/ container to an approved incineration plant.

Keep only in original container.

Wear protective gloves.

Do not breathe dust or mist.

Wash hands thoroughly after handling.

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Sodium hypochlorite	7681-52-9	1.00 - 5.00
Sodium chloride	7647-14-5	1.00 - 5.00
Hydrogen Peroxide	7722-84-1	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

4. FIRST AID MEASURES

Description of first aid measures

- Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical attention immediately.
- Skin contact** : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.
- Inhalation** : IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Ingestion** : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

- Eyes** : Causes serious eye damage.
- Skin effect** : Causes severe skin burns.
No adverse effects expected when used as directed.
- Inhalation** : May cause respiratory tract irritation.
- Ingestion** : Causes digestive tract burns.
No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during** : Container may melt and leak in heat of fire.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

firefighting

Further information : Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear personal protective equipment.
Wash thoroughly after handling.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods and materials for containment and cleaning up : Dike large spills.
Clean residue from spill site.
Absorb spillage to prevent material damage.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Avoid breathing vapours, mist or gas.
Wash thoroughly after handling.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container closed when not in use.
Store locked up.
Store in original container.
Store in corrosive resistant aluminium container with a resistant inner liner.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m ³	ppm	Non-standard units	Basis
Hydrogen Peroxide	7722-84-1	1.4 mg/m ³	1 ppm	-	OSHA TWA
Hydrogen Peroxide	7722-84-1	-	1 ppm	-	ACGIH TWA

Personal protective equipment

- Respiratory protection** : Use only with adequate ventilation. Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.
- Hand protection** : Rubber gloves
- Eye protection** : Wear splash-resistant Chemical goggles.
- Skin and body protection** : Protective footwear.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form** : liquid
- Color** : clear
- Odour** : odourless
- Odour Threshold** : Test not applicable for this product type
- pH** : > 12.9

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

Melting point/freezing point	: 32 °F
Initial boiling point and boiling range	: > 212 °F
Flash point	: does not flash
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Test not applicable for this product type
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 1.08 g/cm ³
Solubility(ies)	: completely soluble
Partition coefficient: n-octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: Test not applicable for this product type
Viscosity, kinematic	: Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds Total VOC (wt. %)* : 0 % - additional exemptions may apply
*as defined by US Federal and State Consumer Product Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

Incompatible materials : Do not mix with bleach or any other household cleaners.
Strong bases

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kg
Acute inhalation toxicity : LC50 > 10 mg/L
Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
----------------	----------------	-----------------

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Category 1B	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**DRANO® DUAL FORCE® FOAMER CLOG REMOVER**

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	LC50	Fish	0.06 mg/l	96 h
	NOEC		0.01 - < 0.1 mg/l	28 d
Sodium chloride	flow-through test LC50	Lepomis macrochirus	5,840 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	252 mg/l	33 d
Hydrogen Peroxide	LC50	Pimephales promelas (fathead minnow)	16.4 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	EC50	Ceriodaphnia dubia	0.035 mg/l	48 h
Sodium chloride	static test EC50	Daphnia magna (Water flea)	340.7 - 469.2 mg/l	48 h
	NOEC	Daphnia pulex	314 mg/l	21 d

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**DRANO® DUAL FORCE® FOAMER CLOG REMOVER**

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

Hydrogen Peroxide	semi-static test LC50	Daphnia pulex (Water flea)	2.4 mg/l	48 h
-------------------	-----------------------	----------------------------	----------	------

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	ErC50	Pseudokirchneriella subcapitata (green algae)	0.0499 mg/l	
Sodium chloride	IC50	Algae	3,014 mg/l	72 h
Hydrogen Peroxide	static test EC50	Skeletonema costatum (marine diatom)	1.38 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Sodium hypochlorite	No data available		
Sodium chloride	No data available		
Hydrogen Peroxide	> 99 %	30 min	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Sodium hypochlorite	No data available	-3.42
Sodium chloride	1.09 QSAR	0.54
Hydrogen Peroxide	No data available	-1.57

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

Mobility

Component	End point	Value
Sodium hypochlorite	No data available	
Sodium chloride	No data available	
Hydrogen Peroxide	No data available	

PBT and vPvB assessment

Component	Results
Sodium hypochlorite	Not fulfilling PBT and vPvB criteria
Sodium chloride	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**DRANO® DUAL FORCE® FOAMER CLOG REMOVER**

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

	Land transport	Sea transport	Air transport
UN number	3266	3266	3266
UN proper shipping name	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, hypochlorite), 8, II	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, hypochlorite), 8, II	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, hypochlorite), 8, II
Transport hazard class(es)	8	8	8
Packing group	II	II	II
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® DUAL FORCE® FOAMER CLOG REMOVER

Version 2.0

Print Date 06/07/2018

Revision Date 05/18/2018

SDS Number 350000004604

16. OTHER INFORMATION

HMIS Ratings

Health	3
Flammability	0
Reactivity	0

NFPA Ratings

Health	3
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--